
L Number	Hits	Search Text	DB	Time stamp
1	0	(magnetoresistive adj sensor) and self-planar\$3	USPAT;	2003/08/15 11:01
<b>'</b>	U	(magnetoresistive adj sensor) and sen-planaryo	JPO;	2000/00/10 11:01
			DERWENT	
2	0	(magnetoresistive adj sensor) and (self adj planar\$3)	USPAT;	2003/08/15 11:01
-	J	(magnetoresistive adjoensor) and (con adj plana, vo)	JPO;	2000/00/10 11:01
			DERWENT	
3	0	(magnetoresistive) and (self adj planar\$3)	USPAT;	2003/08/15 11:01
ا	J	(magnetoresistive) and (son as) planaryo)	JPO;	2000/00/10 11:01
			DERWENT	
4	14	self-planar\$3	USPAT;	2003/08/15 11:02
	, ,	i son planaryo	JPO;	2000/00/10 11:02
*			DERWENT	:
5	7	"916064"	USPAT;	2003/08/15 11:03
	• .	010001	JPO;	
			DERWENT	
6	13	"221493"	USPAT;	2003/08/15 11:46
			JPO;	
			DERWENT	1
7	0	(giant adj magnetoresistive) and (stop adj layer) and (buffer	USPAT;	2003/08/15 11:49
<b>'</b>	J	adj layer)	JPO:	2000/00/10 11/10
			DERWENT	
8	85	(giant adj magnetoresistive) and (buffer adj layer)	USPAT;	2003/08/15 11:58
	00	(glant adj magnotorodiotivo) and (banor adj lajor)	JPO:	2000/00/10 11/00
			DERWENT	
9	0	(giant adj magnetoresistive) same (buffer adj layer) same	USPAT;	2003/08/15 11:51
	J	copper	JPO;	2000/00/10 11:01
		Coppe	DERWENT	
10	6	(giant adj magnetoresistive) same (buffer adj layer)	USPAT;	2003/08/15 11:50
'`	Ŭ	(glain daj magnotorodiotivo) damo (damor daj layor)	JPO;	2000/00/10 11:00
			DERWENT	
11	3	((giant adj magnetoresistive) same (buffer adj layer)) and	USPAT;	2003/08/15 11:51
		@ad<20000727	JPO;	
		- <u>Gad -20000727</u>	DERWENT	
12	65	((giant adj magnetoresistive) and (buffer adj layer)) and	USPAT:	2003/08/15 11:51
'-	00	@ad<20000727	JPO;	2000,00,10
		(a) 20000127	DERWENT	
13	15	(((giant adj magnetoresistive) and (buffer adj layer)) and	USPAT;	2003/08/15 11:57
'		@ad<20000727) and ((buffer adj layer) same copper)	JPO;	2000,00,10
		Gua 20000127) and ((band) adjudyor) band boppor)	DERWENT	
14	154	360/121,122,123,126.ccls. and GMR	USPAT;	2003/08/15 11:57
		000/121,122,120,120.0010. und 011111	JPO;	2000/00/10 11:01
			DERWENT	
15	6	(360/121,122,123,126.ccls. and GMR) and (buffer adj layer)	USPAT:	2003/08/15 12:01
'	J	(000/121,122,120,120.000. and Olimy and (ballot day) ayery	JPO:	2000/00/10 12:01
			DERWENT	
16	286	GMR and buffer	USPAT;	2003/08/15 12:02
'	200		JPO;	2000/00/10 12:02
			DERWENT	
18	8	(GMR and buffer) and (GMR adj stack)	USPAT;	2003/08/15 12:10
'-	3	(Sim tand bandly and Comit adjoidally	JPO;	
			DERWENT	
19	0	09/916064	USPAT;	2003/08/15 12:09
.	3	00/010001	JPO;	2300/00/10 12:09
			DERWENT	
20	0	09/916,064	USPAT;	2003/08/15 12:09
	3	- 30/0 / 5/00 <sup>-1</sup>	JPO;	
			DERWENT	
22	1025	29/603.01,603.03,603.07,603.12,603.13,603.13,603.14,603.15,6		CR003/08/15 12·10
	1320	,	JPO;	200,00,10 12.10
			DERWENT	
23	1	29/603.01,603.03,603.07,603.12,603.13,603.13,603.14,603.15,6		c2003/08/15 12·11
	•	and (GMR adj stack)	JPO;	
		and term and orders	DERWENT	
24	4	29/603.01,603.03,603.07,603.12,603.13,603.13,603.14,603.15,6		CR003/08/15 12:26
<i>-</i> ·	*	and (gmr or (GMR adj stack)) and buffer	JPO;	
		10 o. (a aa) staatill area aarea	DERWENT	
				L



27	15	("5159513"   "5206590"   "5251170"   "5420819"   "5422571"	USPAT	2003/08/15 12:11
		"5496759"   "5583725"   "5701223"   "5756366"   "5841692"		
		"6097578"   "6153320"   "6171693"   "6353318"		
		"6362941").PN.		
28	32	5841692.URPN.	USPAT	2003/08/15 12:17
31	12	("5640343"   "5650958"   "5729410"   "5764567"   "5793697"	USPAT	2003/08/15 12:21
		"5801984"   "5835314"   "5841692"   "5862022"   "5898547"		
		"5898548"   "5901018").PN.		
32	4	("3623038"   "5055158"   "5390061"   "5432734").PN.	USPAT	2003/08/15 12:23
35	286	(gmr or (GMR adj stack)) and buffer	USPAT;	2003/08/15 12:27
			JPO;	
			DERWENT	
36	15	((gmr or (GMR adj stack)) and buffer) and (planar\$7 same	USPAT;	2003/08/15 12:32
		(insulat\$3 or dielectric))	JPO;	
			DERWENT	
37	22		USPAT	2003/08/15 12:34
		"5479696"   "5590008"   "5695656"   "5802700"   "5872693"		
		"5874010"   "5926348"   "5966800"   "5997381"   "6043959"		
		"6104576"   "6108167"   "6169642"   "6195229"   "6295186"		
		"6304415"   "6305072").PN.	LICOAT	0000000454400
38	54	GMR and buffer and shield	USPAT;	2003/08/15 14:38
			JPO;	
20	4	(CMP and huffer and shield) and CMP	DERWENT	2002/00/45 44:42
39	1	(GMR and buffer and shield) and CMP	USPAT; JPO:	2003/08/15 14:42
			DERWENT	
			DELLANEIAI	

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Public	ations/Services Standards Conferences Careers/Jobs
IEEE,	Welcome United States Patent and Trademark Office
Help FAQ Terms IE	EE Peer Review Quick Links S
Welcome to IEEE Xplore  - Home - What Can I Access? - Log-out  Tables of Contents - Journals & Magazines - Conference Proceedings - Standards	Your search matched 41 of 961219 documents.  A maximum of 41 results are displayed, 15 to a page, sorted by Relevance in descending order.  You may refine your search by editing the current search expression or entering a new one the text box.  Then click Search Again.  (giant magnetoresistance) <and> multilayers <and> Search Again  Results:  Journal or Magazine = JNL Conference = CNF Standard = STD  1 Magnetoresistive properties of permalloy thin films and permalloy/C multilayers</and></and>
Search  - By Author - Basic - Advanced	Neamtu, J.; Volmer, M.; Coraci, A.; Semiconductor Conference, 1998. CAS '98 Proceedings. 1998 International, V 1, 6-10 Oct. 1998 Page(s): 213 -216 vol.1
Member Services  Join IEEE Establish IEEE Web Account  Access the IEEE Member Digital Library	[Abstract] [PDF Full-Text (504 KB)] IEEE CNF  2 Characterization of electrodeposited magnetic multilayers  Jyoko, Y.; Kashiwabara, S.; Hayashi, Y.; Schwarzacher, W.;  Magnetics, IEEE Transactions on , Volume: 34 Issue: 6 , Nov. 1998  Page(s): 3910 -3912
Print Format	[Abstract] [PDF Full-Text (88 KB)] IEEE JNL
	Geometry effects on low frequency noise in giant magnetoresistance (GMR) sensors  Nor, A.F.M.; Hill, E.W.; Parker, M.R.;  Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998  Page(s): 1327 -1329
	[Abstract] [PDF Full-Text (268 KB)] IEEE JNL  4 GMR in magnetic multilayers from a first principles band structure Kongreenwood approach  Rao, F.; Freeman, A.J.;

С

h e ch eee e eee g e ch

eech ech ge e

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 930 -932

### [Abstract] [PDF Full-Text (328 KB)] **IEEE JNL**

# 5 Highly field sensitive and thermally stable dc magnetron sputtered so Ni<sub>81</sub>Fe<sub>19</sub>/Cu multilayers

Yiming Huai; Minshen Tan; Rottmayer, R.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 918 -920

#### [Abstract] [PDF Full-Text (352 KB)] **IEEE JNL**

### 6 Thermal wave interactions in magnetic materials

Carey, R.; Newman, D.M.; Wiggins, J.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 2033 -2035

### [Abstract] [PDF Full-Text (308 KB)] IEEE JNL

7 Increased field sensitivity in Co/Cu multilayers with soft adjacent lay

Jardine, D.B.; Mathur, N.D.; Blamire, M.G.; Evetts, J.E.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 1297 -1299

#### [PDF Full-Text (268 KB)] IEEE JNL [Abstract]

# 8 GMR in DC magnetron sputtered Ni<sub>81</sub>Fe<sub>19</sub>/Cu multilayers

Mao, M.; Cerjan, C.; Gibbons, M.; Law, B.; Grabner, F.; Vernon, S.P.; Wall, M.; Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 915 -917

#### [Abstract] [PDF Full-Text (392 KB)] IEEE JNL

# 9 Influence of impurity gas in the sputtering atmosphere on the microstructure and the GMR in Co/Cu multilayers

Miura, S.; Takahashi, D.; Tsunoda, M.; Takahashi, M.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

С

Page(s): 936 -938

#### [Abstract] [PDF Full-Text (320 KB)] **IEEE JNL**

# 10 Correlation between evolving magnetic and morphological propertie magnetic multilayers

Doherty, S.A.; Zhu, J.-G.; Dugas, M.; Anderson, S.; Tersteeg, J.; Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998 Page(s): 840 -842

# [Abstract] [PDF Full-Text (428 KB)] IEEE JNL

# 11 GMR-DMR read-element characterization and projections of head performance on high areal density rigid media

Trindade, I.G.; Kryder, M.H.; Freitas, P.P.; Smith, N.; Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998 Page(s): 1483 -1485

## [Abstract] [PDF Full-Text (404 KB)] **IEEE JNL**

12 **CPP giant magnetoresistance of NiFeCo/Cu/CoFe/Cu multilayers**Bussmann, K.; Cheng, S.F.; Prinz, G.A.; Hu, Y.; Gutmann, R.; Wang, D.; Beech
Zhu, J.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 924 -926

#### [Abstract] [PDF Full-Text (360 KB)] IEEE JNL

### 13 Magnetostatic coupling in patterned spin valve structures

Jyh-Shinn Yang; Lee, J.; Ching-Ray Chang;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 5 , Sept. 1998

Page(s): 2469 -2472

#### [Abstract] [PDF Full-Text (320 KB)] IEEE JNL

7th Joint MMM-Intermag Conference. Abstracts (Cat. No.98CH36275 MMM-Intermag Conference, 1998. Abstracts., The 7th Joint , 6-9 Jan. 1998

[Abstract] [PDF Full-Text (380 KB)] IEEE CNF

15 Structure Refinement Of NiFe/Cu Multilayers With Giant Magnetoresistance By Synchrotron Radiation Source

С

Jiang, H.W.; Luo, G.M.; Mai, Z.H.; Lai, W.Y.;

MMM-Intermag Conference, 1998. Abstracts., The 7th Joint , 6-9 Jan. 1998 Page(s): 127 -127

### [Abstract] [PDF Full-Text (72 KB)] **IEEE CNF**

### 1 <u>2</u> <u>3</u> [Next]

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help. | FAQ | Terms | Back to Top

Copyright © 2003 IEEE --- All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Public	ations/Services	Standards Conferen	ces Careers/Jobs	
IEEE	Xplore	0 @		Nelcome ent and Trademark Office
Help FAQ Terms IE	EE Peer Review	Quick Links	Na in the second	» S€
Welcome to IEEE Xplore		1 - 1 44 - 5 054 D40 - 1		
O- Home		hed <b>41</b> of <b>961219</b> docume		
O- What Can I Access?				vance in descending order.  r entering a new one the text box.
O- Log-out	Then click Search			
Tables of Contents	(giant magneto	presistance) <and> mul</and>	tilayers <and></and>	nch Again
O- Journals & Magazines	Results: Journal or Magazii	ne = <b>JNL</b> Conference = <b>C</b>	CNF Standard = STD	
Conference Proceedings				
O- Standards		•		improved properties
		Berkowitz, A.E.; Dat		McMichael, R.D.; Judy, J.I
Search		-	-	998 Proceedings. Seventh
O- By Author		E , 22-24 June 1998		
O- Basic	Page(s): 34	-37		
O- Advanced	4			
Member Services	[Abstract]	[PDF Full-Text (352	KB)] IEEE CNF	
O- Join IEEE				
O- Establish IEEE Web Account	17 A praction	cai 256K GMR NV i	memory for high s	hock applications
O- Access the		; Mundon, S.A.; Ary		<i>M.;</i> 998 Proceedings. Seventh
IEEE Member	1	E , 22-24 June 1998	Comerence, 1996. 1	556 Proceedings. Seventin
Digital Library	Page(s): 38	•		
Print Format				
	[Abstract]	[PDF Full-Text (660	KB)] IEEE CNF	
	<i>Tehrani, S.;</i> Nonvolatile N	Memory Technology ( , 22-24 June 1998	era, M.; Chen, E.; Ca	stive RAM alder, J.; Kerszykowski, G., 998 Proceedings. Seventh

19 CPP Giant Magnetoresistance of NiFeCo/cu/ CoFe/cu Multilayers Bussmarm, K.; Cheng, S.F.; Prinz, G.A.; Hu, Y.; Wang, D.; Beech, R.;

[Abstract] [PDF Full-Text (400 KB)] IEEE CNF

e

MMM-Intermag Conference, 1998. Abstracts., The 7th Joint, 6-9 Jan. 1998 Page(s): 300 -300

#### [Abstract] [PDF Full-Text (100 KB)] **IEEE CNF**

## 20 A self-biased spin valve sensor with a longitudinally pinned layer

Suzuki, T.; Matsutera, H.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 1501 -1503

#### [Abstract] [PDF Full-Text (272 KB)] IEEE JNL

# 21 A new multilayered structure for multilevel magnetoresistive randol access memory (MRAM) cell

Won-Cheol Jeong; Byung-Il Lee; Seung-Ki Joo;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 1069 -1071

#### [Abstract] [PDF Full-Text (240 KB)] IEEE JNL

# 22 Effect of microstructure on resistivity and GMR ratio in ion beam deposited spin valves

Bailey, W.E.; Guarisco, D.; Wang, S.X.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 957 -959

#### [Abstract] [PDF Full-Text (316 KB)] IEEE JNL

#### 23 Specular reflection in spin valves bounded by NiO layers

Swagten, H.J.M.; Strijkers, G.J.; Bitter, R.H.J.N.; de Jonge, W.J.M.; Kools, J.C.: Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 948 -953

### [Abstract] [PDF Full-Text (656 KB)] **IEEE JNL**

#### 24 Process monitoring of spin-valve GMR deposition

Kools, J.C.S.; Paranjpe, L.; Schwartz, P.; Bubber, R.; Bergner, B.; Kula, W.; Rij T.G.S.M.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 945 -947

#### [Abstract] [PDF Full-Text (288 KB)] IEEE JNL

# 25 Giant magnetoresistance of current-perpendicular exchange-biased valves of Co/Cu

Reilly, A.C.; Chiang, W.-C.; Park, W.; Hsu, S.Y.; Loloee, R.; Steenwyk, S.; Prat Jr.; Bass, J.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 939 -941

#### [Abstract] [PDF Full-Text (312 KB)] **IEEE JNL**

# 26 Growth of giant magnetoresistive spin valves with strong exchange field

Choe, G.; Tsoukatos, A.; Gupta, S.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 867 -869

### [Abstract] [PDF Full-Text (320 KB)] IEEE JNL

### 27 FMR and magnetization study of NiFe/Ag/CoNi trilayer film

Koymen, A.R.; Tagirov, L.R.; Gilmutdinov, R.T.; Topacli, C.; Birlikseven, C.; Du H.Z.; Aktas, B.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 846 -848

#### [Abstract] [PDF Full-Text (300 KB)] IEEE JNL

#### 28 Spin-valve structures with NiO pinning layers

Cowache, C.; Dieny, B.; Auffret, S.; Cartier, M.; Taylor, R.H.; O'Barr, R.; Yama S.Y.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 843 -845

#### [Abstract] [PDF Full-Text (336 KB)] **IEEE JNL**

# 29 Enhancement of magnetoresistance characteristics in spin valve structures by two-step sputter deposition

Chang-Min Park; Kyung Ho Shin;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 1423 -1425

### [Abstract] [PDF Full-Text (308 KB)] **IEEE JNL**

# 30 Micromagnetic analysis and current biasing of dual-stripe GMR and (GMR sensors for high density recording

Freitas, P.P.; Cardoso, S.; Oliveira, N.J.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 1510 -1512

[Abstract] [PDF Full-Text (376 KB)] IEEE JNL

#### [Prev] 1 2 3 [Next]

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2003 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Public	cations/Services Standards Conferences Careers/Jobs
	Welcome United States Patent and Trademark Office
Help FAQ Terms IE	REE Peer Review Quick Links Se
Welcome to IEEE Xplore  - Home - What Can I Access? - Log-out  Tables of Contents	Your search matched <b>41</b> of <b>961219</b> documents.  A maximum of <b>41</b> results are displayed, <b>15</b> to a page, sorted by <b>Relevance</b> in <b>descending</b> order.  You may refine your search by editing the current search expression or entering a new one the text box. Then click <b>Search Again</b> .  (giant magnetoresistance) <and> Search Again</and>
O- Journals & Magazines	Results: Journal or Magazine = JNL Conference = CNF Standard = STD
O- Conference Proceedings O- Standards	31 Comparison of computed amplitudes of magnetoresistance in spin-v structures with wafer probe measurements
Search  - By Author - Basic - Advanced	Dieny, B.; Peireira, L.G.; Taylor, R.H.; Yamamoto, S.Y.; Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998 Page(s): 942 -944
Member Services	[Abstract] [PDF Full-Text (340 KB)] IEEE JNL
O- Join IEEE	32 Characteristics of NiFe/CuNi multilayer GMR sensors for vertical GM heads
O- Access the IEEE Member Digital Library	Mizuguchi, T.; Terada, S.; Miyauchi, T.; Matsuzono, A.;  Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998  Page(s): 1504 -1506
Print Format	
	[Abstract] [PDF Full-Text (432 KB)] IEEE JNL
	33 Activation energy of interdiffusion and interface structure for CoFe/spin-valves Saito, A.T.; Iwasaki, H.; Kamiguchi, Y.; Fuke, H.N.; Sahashi, M.; Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

[Abstract] [PDF Full-Text (364 KB)] IEEE JNL

Page(s): 1420 -1422

34 CoFe/IrMn spin-valves prepared on Cu islands

Umemoto, T.; Maeda, A.; Oikawa, S.; Yoshioka, K.; Takahashi, S.; Tanuma, T., Kume, M.; Shibata, K.;

h e ch eee e eee g e ch

e e ch e

g

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 960 -962

### [Abstract] [PDF Full-Text (288 KB)] IEEE JNL

# 35 Improvement of GMR characteristics in $[Ni_{81}Fe_{19}/Cu]$ multilayers be interfacial modulation technique using Kr ions

Miyamoto, Y.; Watanabe, K.; Nishimura, K.; Nakagawa, S.; Naoe, M.; Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998 Page(s): 921 -923

### [Abstract] [PDF Full-Text (328 KB)] IEEE JNL

# Time and temperature dependence of high thermal stability in NiO/Co/Cu/Co/M spin valves

McMichael, R.D.; Chen, P.J.; Egelhoff, W.F., Jr.;
Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998
Page(s): 897 -899

### [Abstract] [PDF Full-Text (280 KB)] IEEE JNL

# 37 A study of voltage fluctuation, noise and magnetic instability in spin GMR recording heads

Wallash, A.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 1450 -1452

#### [Abstract] [PDF Full-Text (276 KB)] IEEE JNL

# 38 Effect of seed layer on the magnetoresistance characteristics in a-Cobased spin valves

Hae Seok Cho; Ueda, F.; Chunghong Hou; Fujiwara, H.; Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998 Page(s): 1414 -1416

#### [Abstract] [PDF Full-Text (336 KB)] **IEEE JNL**

#### 39 Thermal stability of CoFe, Co and NiFe/Co spin valves

Zeltser, A.M.; Pentek, K.; Menyhard, M.; Sulyok, A.; Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998 Page(s): 1417 -1419

#### [Abstract] [PDF Full-Text (316 KB)] **IEEE JNL**

#### 40 Spin-valves with bias compensation layer

Kanai, H.; Yamada, K.; Kanamine, M.; Toda, J.;

Magnetics, IEEE Transactions on , Volume: 34 Issue: 4 , July 1998

Page(s): 1498 -1500

### [Abstract] [PDF Full-Text (344 KB)] IEEE JNL

41 New antiferromagnetic RuRhMn film and its application for spin-valv

Araki, S.; Omata, E.; Sano, M.; Noguchi, K.; Morita, H.; Matsuzaki, M.; Magnetics, IEEE Transactions on , Volume: 34 Issue: 2 , March 1998 Page(s): 387 -389

### [Abstract] [PDF Full-Text (384 KB)] **IEEE JNL**

#### [Prev] 1 2 3

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2003 IEEE — All rights reserved